

PRODUCT-DETAILS

IH3-1-LM

1/2INCH D-T DEV BX W/MNT LGS 3 HL



General Information	
Extended Product Type	IH3-1-LM
Product ID	7TAA002010R0006
EAN	5414363153153
Catalog Description	1/2INCH D-T DEV BX W/MNT LGS 3 HL
Long Description	Single Gang Universal Weatherproof Box, 18.3 Cubic Inches, Hub Size 1/2 Inch, Silver,

Long Description	Aluminum, 3 Outlets, One on Top, Bottom, and Back, with Mounting Lugs	

Ordering	
EAN	5414363153153
UPC	42269392151
Country of Origin	India (IN)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	69.85 mm
	2.75 in
Package Level 1 Height	57.15 mm
	2.25 in

IH3-1-LM 2

Package Level 1 Depth /	120.65 mm
Length	4.75 in
Package Level 2 Units	50 EA
Package Level 2 Width	247.65 mm
	9.75 in
Package Level 2 Height	273.05 mm
	10.75 in
Package Level 2 Depth /	374.65 mm
Length	14.75 in
Package Level 3 Units	1500 EA
Package Level 3 Width	0 mm
	0 in
Package Level 3 Height	0 mm
	0 in
Package Level 3 Depth /	0 mm
Length	0 in

Additional Information	
Application	Dry-tite boxes and covers protect wiring devices, switches, electronic components and terminal blocks in dry, damp and wet locations
Brand / Label	Red Dot
Color	Silver
Effective Date	20000105
Material	Aluminum Alloy
Product Name	ALUMINUM BOX
Product Type	Device Boxes, Covers & Accessories
Special Functions	Clean cover edges help provide good gasket sealing
Standards	UL E28688
Volume	18.3 cu in

Certificates and Declarations	
Data Sheet, Technical	TDS000549
Information	

Classifications	
ETIM 6	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
UNSPSC	39121305
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4429 >> Weatherproof boxes

IH3-1-LM 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Electrical\ Boxes$





