



Powering Business Worldwide

## Wireless Access Point Enclosure with Lock - Surface-Mount, ABS Construction, 11 x 11 in.

MODEL NUMBER: EN1111



Locking enclosure protects your Wi-Fi access point against theft, damage or tampering inside offices, dorms and other indoor areas.

### Features

#### Wall-Mount Enclosure Secures and Organizes Your Router/Modem or Wireless Access Point

Protect your indoor router/modem or Wi-Fi access point by installing it inside this SmartRack® Wireless Access Point Enclosure made from impact-resistant UL 94 V-0 Classified ABS plastic. It's ideal for offices, dorms, hotels, classrooms, retail locations and other indoor areas where you need to keep Wi-Fi equipment secure, organized and out of the way.

**Accommodates a Wide Range of Equipment, Including Cisco WAPs, up to 542 in.<sup>3</sup>** Though the EN1111 is designed specifically to protect Cisco Wi-Fi access points, it will also house most other equipment up to 542 cubic inches (891 cubic millimeters). While rugged enough to keep your equipment safe inside, it's also transparent to wireless signals, ensuring strong Wi-Fi coverage. Convenient knockout ports allow easy cable routing through the enclosure and reduce cable clutter.

**Locks Securely to Help Prevent Damage, Tampering or Theft** This Wi-Fi access point enclosure swings away from the wall or ceiling on a sturdy hinge, allowing easy access to equipment and cabling during installation and maintenance. It locks securely with the included keys to protect its contents against theft, tampering, dust and other contaminants. Vents on each end allow cool air to flow freely through the enclosure to prevent equipment from overheating.

**Easy to Mount with the Included Hardware** The EN1111 comes fully assembled and ready for horizontal or vertical mounting on a wall or ceiling with the included installation hardware. It is designed for Cisco WAPs, but the included universal T-bar bracket will accommodate a wide variety of equipment from other brands. Pre-cut openings allow for precise positioning over wall outlets.

### Highlights

- Designed for Cisco WAPs, but accommodates equipment from most vendors
- Rugged ABS plastic housing protects router/modem/WAP from theft or tampering
- Transparent to wireless signals, ensuring an optimum Wi-Fi signal in all directions
- Swings away from wall or ceiling on hinge to allow easy access to equipment and cabling
- Comes fully assembled and ready for wall- or ceiling-mounting using included hardware

### Applications

- Protect a router/modem or wireless access point inside a classroom, office, hotel, store, dorm or other indoor space from damage, theft or tampering

### Package Includes

- Wireless Access Point Enclosure with Lock, 11 x 11 in.
- (2) M6 screws, 1 in.
- (2) M6 trusshead screws, 0.25 in.
- (4) M6 flathead screws, 0.25 in.
- Cable tie
- (4) Nylon spacers
- T-bar bracket
- (2) Keys
- Installation guide

## Specifications

OVERVIEW	
UPC Code	037332217813
Rack Type	Enclosure



Powering Business Worldwide

PHYSICAL	
Color	White
Material of Construction	ABS Plastic
Rack Height	0U
Maximum Device Depth (cm)	11.18
Maximum Device Depth (in.)	4.4
Maximum Device Depth (mm)	112
Shipping Dimensions (hwd / in.)	12.08 x 11.85 x 5.47
Shipping Dimensions (hwd / cm)	30.70 x 30.10 x 13.90
Shipping Weight (lbs.)	4.19
Shipping Weight (kg)	1.90
Unit Dimensions (cm)	28 x 28
Unit Dimensions (hwd / in.)	11.100 x 11.100 x 4.400
Unit Dimensions (hwd / cm)	28.2 x 28.2 x 11.2
Unit Dimensions (in.)	11 x 11
Unit Weight (lbs.)	3.3
Unit Weight (kg)	1.50
Interior Dimensions (hwd / in.)	10.64 x 10.64 x 1.80
Interior Dimensions (hwd / mm)	270.5 x 270.5 x 45.9
FEATURES & SPECIFICATIONS	
Built-in Cable Management	No
STANDARDS & COMPLIANCE	
Product Compliance	RoHS
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	5-year limited warranty

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.