

# Photomicrosensor (Reflective) **EE-SY125**

#### **■** Dimensions

Note: All units are in millimeters unless otherwise indicated.



#### **Internal Circuit**



Unless otherwise specified, the tolerances are  $\pm 0.15$  mm.

Terminal No.	Name
Α	Anode
K	Cathode
С	Collector
E	Emitter

#### **■** Features

- Ultra-compact model.
- PCB surface mounting type

### ■ Absolute Maximum Ratings (Ta = 25°C)

	Item	Symbol	Rated value					
Emitter	Forward current	I <sub>F</sub>	50 mA (see note 1)					
	Pulse forward current	I <sub>FP</sub>	1 A (see note 2)					
	Reverse voltage	$V_R$	4 V					
Detector	Collector-Emitter voltage	V <sub>CEO</sub>	30 V					
	Emitter-Collector voltage	V <sub>ECO</sub>	5 V					
	Collector current	I <sub>C</sub>	20 mA					
	Collector dissipation	P <sub>C</sub>	75 mW (see note 1)					
Ambient	Operating	Topr	–25°C to 85°C					
temperature	Storage	Tstg	-40°C to 100°C					
Soldering ten	nperature	Tsol	260°C (see note 3)					

- **Note: 1.** Refer to the temperature rating chart if the ambient temperature exceeds 25°C.
  - 2. The pulse width is 10  $\mu s$  maximum with a frequency of 100 Hz.
  - 3. Complete soldering within 10 seconds.

### ■ Ordering Information

Description	Model					
Photomicrosensor (reflective)	EE-SY125					


### ■ Electrical and Optical Characteristics (Ta = 25°C)

	Item	Symbol	Value	Condition					
Emitter	Forward voltage	V <sub>F</sub>	1.2 V typ., 1.4 V max.	I <sub>F</sub> = 20 mA					
	Reverse current	I <sub>R</sub>	0.01 μA typ., 10 μA max.	V <sub>R</sub> = 4 V					
	Peak emission wavelength	$\lambda_{P}$	950 nm typ.	I <sub>F</sub> = 4 mA					
Detector	Light current	I <sub>L</sub>	50 μA min., 300 μA max.	$I_F = 4$ mA, $V_{CE} = 2$ V Aluminum-deposited surface, d = 1 mm (see note)					
	Dark current	I <sub>D</sub>	2 nA typ., 200 nA max.	V <sub>CE</sub> = 10 V, 0 ℓx					
	Leakage current	I <sub>LEAK</sub>	200 nA max.	$I_F = 4 \text{ mA}, V_{CE} = 2 \text{ V}$ with no reflection					
	Collector–Emitter saturated voltage	V <sub>CE</sub> (sat)							
	Peak spectral sensitivity wavelength	$\lambda_{P}$	930 nm typ.	V <sub>CE</sub> = 10 V					
Rising time	Rising time		35 μs typ.	$V_{CC} = 2 \text{ V}, R_L = 1 \text{ k}\Omega, I_L = 100 \mu\text{A}$					
Falling time		tf	25 μs typ.	$V_{CC} = 2 \text{ V}, R_L = 1 \text{ k}\Omega, I_L = 100 \mu\text{A}$					


Note: The letter "d" indicates the distance between the top surface of the sensor and the sensing object.

### **■** Engineering Data


### Forward Current vs. Collector Dissipation Temperature Rating




#### Relative Light Current vs. Ambient Temperature Characteristics (Typical)




# Response Time vs. Load Resistance Characteristics (Typical)




# Relative Collector Current vs. Card Moving Distance (2)




# Light Current vs. Forward Current Characteristics (Typical)




#### Dark Current vs. Ambient Temperature Characteristics (Typical)




# Sensing Distance Characteristics (Typical)




# Response Time Measurement Circuit




# Light Current vs. Collector–Emitter Voltage Characteristics (Typical)



# Response Time vs. Load Resistance Characteristics (Typical)



# Relative Light Current vs. Card Moving Distance (1)




### **Precautions**

### ■ Soldering Information

### Reflow soldering

 Set the reflow oven so that the temperature profile shown in the following chart is obtained for the upper surface of the product being soldered.



### Manual soldering

- $\bullet$  Use a soldering iron of less than 25 W, and keep the temperature of the iron tip at 260°C or below.
- Solder each point for a maximum of three seconds.
- After soldering, allow the product to return to room temperature before handling it.

#### **Storage**

To protect the product from the effects of humidity until the package is opened, dry-box storage is recommended. If this is not possible, store the product under the following conditions:

Temperature: 5 to 30°C Humidity: 70% max.

The product is packed in a humidity-proof envelope. Reflow soldering must be done within 48 hours after opening the envelope, during which time the product must be stored at 5 to 25°C at 60% maximum humidity.

If it is necessary to store the product after opening the envelope, use dry-box storage or reseal the envelope at 5 to  $30^{\circ}$ C at 70% maximum humidity within two weeks.

#### **Baking**

If a product has remained packed in a humidity-proof envelope for six months or more, or if more than 48 hours have lapsed since the envelope was opened, bake the product under the following conditions before use only one time:

Bulk: 125°C for 16 to 24 hours



ИЕМО																				
· !			· ,	·		1	;	;	;	;	;	;	;	;	1	;	· ·		1	,
			 		 	1	;	;	;	;	;	;	;	;	1	;			1	1
! !																				
	 	· ·	· ;		·	1	1	1	1	1	1	1	1	1	1	1			1	1
	 	 	· i				;	1	:	1	:	1	1	:	1				;	
! !				! !	! !	 			 			 	 					! !	·	! ! ! !
	 	 	1		·	1	1	1	1	1	1	1	1	1	1	1			:	1
	1	1				1		1	1	1	1	1	1		1				1	1
1 1				! !	! ! !													! !		
r ·	1	1	i			i	i	i	i	i	i	i	i	i	i	i			T i	i
		1	 			 	 		 		 	 		 		 	· · ·		 	
! !				! !	 													! !	1	
r :	1	1	;			:	:							:		:			:	
: : : :	 	 	 		   															
I I				1	! !	1 1												1	1 1	
·	:	1				· • ·									1				· • ·	1
1					1													1		
: ; : :	 	 	  -			    	:	 	 	 	 	 	 	:	· 1	    	. – – – .	! ! !	· ·	 
I I					 														1 1	
 			 						· ·		· ·					· ·				
1				1	1													1		
r	1	1	r 1 1			T 1	r 1 1	1	r 1 1		,	T 1	r 1 1							
: : :		 	 	: : :	! !	· ·	1	· ·	1	· ·	· ·	· ·	· ·	1	1	1		·	· ·	
I				!														!	· ·	
	· ·	· ·	· ;		; · :	:	1	1	1	1	1	1	1	1	1	1			:	1
·		4			   	:	:								1				:	1
! !				l I	I I	i i			i i			i i	i i					1		
   				1	1						( 				· 1			1		4
·	i					1										1				1
					 	·													 	
		· (	· (			+ ( 	:	1	1	1	1	1	1	:		· :	· ·			· 4
		1					F 4	1	1	1	1	1	1	F 4	4	F 4				
 				 	! !	1 I												 		1
	1	1	1			+ (	:	1	1	1	1	1	1	:		:				1
	b 8	1	4			4	4	4	4	4	4	4	4	4	4	4			4	
1 1				: :	 	 												 	I :	
	b 8	1	4			1	h 4	1	4	1	1	4	1	h 4	4	b 8			b 6	4
	F 4	4				i	F 1	4	4	4	4		4	F 1	4	F 4				
					1	i i												! !		
															1					

### Terms and Conditions of Sale

- Offer: Acceptance. These terms and conditions (these "Terms") are deemed part of all quotations, acknowledgments, invoices, purchase orders and other documents, whether electronic or in writing, relating to the sale of products or services (collectively, the "Products") by Omron Electronic Components LLC ("Seller"). Seller hereby objects to any terms or conditions proposed in Buyer's purchase order or other documents which are inconsistent with, or in addition to these Terms.
- Prices: Payment. All prices stated are current, subject to change without notice by Seller. Buyer agrees to pay the price in effect at time of shipment. Payments for Products received are due net 30 days unless otherwise stated
- <u>Discounts.</u> Cash discounts, if any, will apply only on the net amount of invoices sent to Buyer after deducting transportation charges, taxes and duties, and will be allowed only if (i) the invoice is paid according to Seller's
- payment terms and (ii) Buyer has no past due amounts owing to Seller. Currencies. If the prices quoted herein are in a currency other than U.S. dol lars, Buyer shall make remittance to Seller at the then current exchange rate most favorable to Seller and which is available on the due date; provided that if remittance is not made when due, Buyer will convert the amount to U.S. dollars at the then current exchange rate most favorable to Seller available during the period between the due date and the date remittance is actually made.

Governmental Approvals. Buyer shall be responsible for, and shall bear all costs involved in, obtaining any government approvals required for the importation or sale of the Products.

- Taxes. All taxes, duties and other governmental charges (other than general real property and income taxes), including any interest or penalties thereon, imposed directly or indirectly on Seller or required to be collected directly or indirectly by Seller for the manufacture, production, sale, delivery, importation, consumption or use of the Products sold hereunder (including customs duties and sales, excise, use, turnover and license taxes) shall be charged to and remitted by Buyer to Seller.
- Financial. If the financial position of Buyer at any time becomes unsatisfactory to Seller, Seller reserves the right to stop shipments or require satisfactory security or payment in advance. If Buyer fails to make payment or otherwise comply with these Terms or any related agreement, Seller may (without liability and in addition to other remedies) cancel any unshipped portion of Products sold hereunder and stop any Products in transit until Buyer pays all amounts, including amounts payable hereunder, whether or not then due, which are owing to it by Buyer. Buyer shall in any event remain liable for all unpaid
- <u>Cancellation; Etc.</u> Orders are not subject to rescheduling or cancellation unless Buyer indemnifies Seller fully against all costs or expenses arising in connection therewith
- Force Majeure. Seller shall not be liable for any delay or failure in delivery resulting from causes beyond its control, including earthquakes, fires, floods, strikes or other labor disputes, shortage of labor or materials, accidents to machinery, acts of sabotage, riots, delay in or lack of transportation or the requirements of any government authority.

  10. Shipping: Delivery. Unless otherwise expressly agreed in writing by Seller:

  1. Shipments shall be by a carrier selected by Seller;

  2. Such carrier shall act as the agent of Buyer and delivery to such carrier.
- - Such carrier shall act as the agent of Buyer and delivery to such carrier shall constitute delivery to Buyer;
  - 3. All sales and shipments of Products shall be FOB shipping point (unless otherwise stated in writing by Seller), at which point title to and all risk of loss of the Products shall pass from Seller to Buyer, provided that Seller shall retain a security interest in the Products until the full purchase price is paid by Buver
- paid by Buyer;

  4. Delivery and shipping dates are estimates only.

  5. Seller will package Products as it deems proper for protection against normal handling and extra charges apply to special conditions.

  11. Claims. Any claim by Buyer against Seller for shortage or damage to the Products occurring before delivery to the carrier must be presented in writing to Seller within 30 days of receipt of shipment and include the original transportation bill signed by the carrier noting that the carrier received the Products from Seller in the condition claimed.

- Warranties. (a) Exclusive Warranty. Seller's exclusive warranty is that the Products will be free from defects in materials and workmanship for a period of twelve months from the date of sale by Seller (or such other period expressed twelve months from the date of sale by Seller (or such other period expressed in writing by Seller). Seller disclaims all other warranties, express or implied. (b) Limitations. SELLER MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, ABOUT NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THE PRODUCTS. BUYER ACKNOWLEDGES THAT IT ALONE HAS DETERMINED THAT THE PRODUCTS WILL SUITABLY MEET THE REQUIREMENTS OF THEIR INTENDED USE. Seller further disclaims all warranties and responsibility of any type for claims or expenses based on infringement by the Products or othany type for claims or expenses based on infringement by the Products or other envise of any intellectual property right. (c) <u>Buyer Remedy.</u> Seller's sole obligation hereunder shall be to replace (in the form originally shipped with Buyer responsible for labor charges for removal or replacement thereof) the noncomplying Product or, at Seller's election, to repay or credit Buyer an amount equal to the purchase price of the Product; provided that in no event shall Seller be responsible for warranty, repair, indemnity or any other claims or expenses regarding the Products unless Seller's analysis confirms that the Draducts unger property handled attention and part to the Products were properly handled, stored, installed and maintained and not subject to contamination, abuse, misuse or inappropriate modification. Return of any Products by Buyer must be approved in writing by Seller before shipment. Seller shall not be liable for the suitability or unsuitability or the results from the use of Products in combination with any electrical or electronic components, circuits, system assemblies, or any other materials or substances or environ-
- circuits, system assemblies, or any other materials or substances or environments. Any advice, recommendations or information given orally or in writing are not to be construed as an amendment or addition to the above warranty. Limitation on Liability: Etc. SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY CONNECTED WITH THE PRODUCTS, WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, NEGLIGENCE OR STRICT LIABILITY. Further, in no event shall liability of Seller exceed the individual price of the Product on which liability is asserted.
- which liability is asserted.
  <a href="Indemnities">Indemnities</a>. Buyer shall indemnify and hold harmless Seller, its affiliates and its employees from and against all liabilities, losses, claims, costs and expenses (including attorney's fees and expenses) related to any claim, investigation, litigation or proceeding (whether or not Seller is a party) which arises or is alleged to arise from Buyer's acts or omissions under these Terms or in any way with respect to the Products. Without limiting the foregoing, Buyer (at its own expense) shall indemnify and hold harmless Seller and defend or settle any action brought against Seller to the extent that it is based on a claim that any Product made to Buyer specifications infringed intellectual property rights
- of another party.

  Property: Confidentiality. The intellectual property embodied in the Products is the exclusive property of Seller and its affiliates and Buyer shall not attempt to duplicate it in any way without the written permission of Seller. Notwithstand to duplicate it in any way without the written permission of Seller. duplicate it in any way without the written permission of Seller. Notwithstand-ing any charges to Buyer for engineering or tooling, all engineering and tooling shall remain the exclusive property of Seller. All information and materials sup-plied by Seller to Buyer relating to the Products are confidential and propri-etary, and Buyer shall limit distribution thereof to its trusted employees and strictly prevent disclosure to any third party.

  16. <u>Miscellaneous</u>. (a) <u>Waiver</u>. No failure or delay by Seller in exercising any right
- Miscellaneous. (a) Waiver. No failure or delay by Seller in exercising any right and no course of dealing between Buyer and Seller shall operate as a waiver of rights by Seller. (b) Assignment. Buyer may not assign its rights hereunder without Seller's written consent. (c) Law. These Terms are governed by Illinois law (without regard to conflict of law principles). Federal and state courts in Illinois shall have exclusive jurisdiction for any dispute hereunder. (d) Amendment. These Terms constitute the entire agreement between Buyer and Seller relating to the Products, and no provision may be changed or waived unless in writing signed by the parties. (e) Severability. If any provision hereof is rendered ineffective or invalid, such provision shall not invalidate any other provision. (f) Setoff. Buyer shall have no right to set off any amounts against the amount owing in respect of this invoice.. (g) Definitions. As used herein, "including" means "including without limitation".

### Certain Precautions on Specifications and Use

- Suitability for Use. Seller shall not be responsible for conformity with any standards, codes or regulations which apply to the combination of the Product in Buyer's application or use of the Product. At Buyer's request, Seller will provide applicable third party certification documents identifying ratings and limitations of use which apply to the Product. This information by itself is not sufficient for a complete determination of the suitability of the Product in combination with the end product, machine, system, or other application or use. Buyer shall be solely responsible for determining appropriateness of the partic-Buyer shall be solely responsible for determining appropriateless of the particular Product with respect to Buyer's application, product or system. Buyer shall take application responsibility in all cases but the following is a non-exhaustive list of applications for which particular attention must be given:

  (i) Outdoor use, uses involving potential chemical contamination or electrical interference, or conditions or uses not described in this document.

  - (ii) Energy control systems, combustion systems, railroad systems, aviation systems, medical equipment, amusement machines, vehicles, safety equipment, and installations subject to separate industry or government regulations.

(iii)Use in consumer products or any use in significant quantities. (iv)Systems, machines and equipment that could present a risk to life or property. Please know and observe all prohibitions of use applicable to this

NEVER USE THE PRODUCT FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON PRODUCT IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.

- Programmable Products. Seller shall not be responsible for the user's
- programming of a programmable product, or any consequence thereof.

  Performance Data. Performance data given in this publication is provided as a guide for the user in determining suitability and does not constitute a warranty It may represent the result of Seller's test conditions, and the users must corre late it to actual application requirements. Actual performance is subject to
- Seller's Warranty and Limitations of Liability.

  <u>Change in Specifications.</u> Product specifications and accessories may be changed at any time based on improvements and other reasons. It is our prac tice to change part numbers when published ratings or features are changed or when significant construction changes are made. However, some specifications of the Product may be changed without any notice. When in doubt, special part numbers may be assigned to fix or establish key specifications for you application. Please consult with your Seller representative at any time to confirm actual specifications of purchased Product.

  <u>Errors and Omissions</u>. The information in this publication has been carefully

checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical or proofreading errors, or omissions.

RoHS Compliance. Where indicated, our products currently comply, to the bes

of our knowledge as of the date of this publication, with the requirements of the European Union's Directive on the Restriction of certain Hazardous Sub stances ("RoHS"), although the requirements of RoHS do not take effect unti July 2006. These requirements may be subject to change. Please consult ou website for current information.

Complete "Terms and Conditions of Sale" for product purchase and use are on Omron's website at www.components.omron.com - under the "About Us" tab, in the Legal Matters section.

#### ALL DIMENSIONS SHOWN ARE IN MILLIMETERS.

To convert millimeters into inches, multiply by 0.03937. To convert grams into ounces, multiply by 0.03527.

OMRON ELECTRONIC COMPONENTS LLC

55 E. Commerce Drive, Suite B Schaumburg, IL 60173

847-882-2288

OMRON CANADA, INC.

885 Milner Avenue Toronto, Ontario M1B 5V8

416-286-6465

OMRON ON-LINE

Global - http://www.omron.com USA - http://www.components.omron.com Canada - http://www.omron.ca