CONDITION MONITORING MADE EASY WITH ASSET MONITORING GATEWAYS   COND

BANNER

AMG-SNAP-ID-C

▶ **PRODUCTS FOR INDUSTRIAL AUTOMATION**

Asset Monitoring Gateway w/CDS

1 Year CDS Plan with M12 D-Coded Ethernet Cable

SNAP I.D. Auto-Detect Modbus Devices via 4 in HMI

Power Supply Included

Part Number: 815390

SPECIFICATIONS

Power	DC
Banner Cloud ID	Yes
IP Rating	IP65
Ships With Battery	Yes
Primary Housing Material	ABS/Polycarbonate
EtherNet/IP	Yes
Modbus RTU	Yes
Modbus/TCP	Yes

💬 Chat with an Expert

RS-485	Yes
Voltage	10-30 V dc
Display Size (cm)	10.9
Screen Type	Standard Touch Control Panel
Outside Housing Dimensions (cm)	19.99 x 14.99 x 9.98
Inside Housing Dimensions (cm)	19.56 x 14.55 x 9.40
Resolution (pixels)	480 x 272
Point-to-Multipoint Topology	No
Star Topology	No
Tree Topology	No
Point-to-Point Topology	No
Relative Humidity	90%
Max Op. Temperature (°C)	60
Min Op. Temperature (°C)	-10
Battery Type/Size	Lithium/CR2032

BANNER

Banner Engineering Corp. | 9714 Tenth Avenue North | Minneapolis, MN 55441 | United States of America

💬 Chat with an Expert

Chat with an Expert

Cookies

By accepting cookies, we give you the best experience throughout our site, including access to My Account, My Library, and My Wish List.

To learn more, visit our **privacy policy**.